Search Notes 10/051,360 MM

| Ref<br># | Hits  | Search Query                     | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|-------|----------------------------------|---|---------------------|---------|------------------|
| L1       | 49415 | diversit\$3                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 08:40 |
| L2       | 45670 | baseband\$1 or base adj1 band\$1 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 08:41 |
| L3       | 505   | 2 with deviat\$4                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 08:41 |
| L4       | 7     | 1 same 3                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 08:54 |
| L5       | 32    | 1 and 3                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 09:20 |
| L6       | 8952  | level\$1 near3 deviat\$4         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 09:21 |
| L7       | 12    | 1 same 6                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 09:24 |
| L8       | 228   | 1 and 6                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 09:25 |
| L9       | 125   | 6 same demodulat\$6              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 09:25 |
| L10      | 3     | 1 and 9                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2004/12/27 09:26 |

| L11 | 28 | (("5446759") or ("5351274") or<br>("5325403") or ("5203023") or<br>("4384358") or ("5291579") or<br>("5379324") or ("5402451") or<br>("5465271") or ("5487091") or | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/12/27 09:27 |
|-----|----|--|---|----|-----|------------------|
|     |    | ("5541963") or ("5566364") or<br>("5559838") or ("5515380")).PN.   | IRM_LDR   | •  |     |                  |



IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Publications/Services

Standards Conferences Careers/Jobs Welcome

## **United States Patent and** Trademark Office

Help FAQ Terms IEEE

**Quick Links** 

» Search

Peer Review

#### Welcome to IEEE Xplore®

- O- Home
- What Can I Access?
- O- Log-out

## **Tables of Contents**

- O- Journals & Magazines
- O- Conference **Proceedings**
- O- Standards

#### Search

- O- By Author
- O- Basic
- O- Advanced
- CrossRef

### **Member Services**

- O- Join IEEE
- C Establish IEEE Web Account
- O- Access the **IEEE Member Digital Library**

#### **IEEE Enterprise**

O- Access the **IEEE Enterprise** File Cabinet

Print Format

Your search matched **10** of **1105713** documents.

A maximum of **500** results are displayed, **15** to a page, sorted b Publication year in Descending order.

## **Refine This Search:**

You may refine your search by editing the current search express or entering a new one in the text box.

diversit\* and (baseband or base band) and (level or

Search Check to search within this result set deviaty

## **Results Key:**

JNL = Journal or Magazine CNF = Conference STD = Standar

# 1 Blind UWB timing with a dirty template

Liuqing Yang; Giannakis, G.B.;

Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04). IEEE International Conference on , Volume: 4 , 17 May 2004

Pages:iv-509 - iv-512 vol.4

[Abstract] [PDF Full-Text (277 KB)] **IEEE CNF** 

# 2 Adaptive space-time feedforward/feedback detection for high data rate CDMA in frequency-selective fading

Smee, J.E.; Schwartz, S.C.;

Communications, IEEE Transactions on , Volume: 49 , Issue: 2 , 2001

Pages:317 - 328

[PDF Full-Text (296 KB)] [Abstract] **IEEE JNL** 

# 3 A DBF self-beam steering array antenna for mobile satel applications using beam-space maximal-ratio combination

Miura, R.; Tanaka, T.; Horie, A.; Karasawa, Y.;

Vehicular Technology, IEEE Transactions on , Volume: 48 , Issue 3, May 1999